

JHB BRANCH

26 Brunel Road
Tulisa Park,
Johannesburg
2197

Office

011 613 8711

George

078 748 8159

Zaahid

082 902 4433

Sume

079 259 6570

CPT BRANCH

11 Rand Road
Blackheath
Cape Town,
8001

Office

021 905 2260

Nakkie

083 303 1161

Adriaan

078 627 3459

PRODUCT BROCHURE

www.agritechequip.com


500 LT




600 LT



RIGHT-LEFT SPREADER
ADJUSTMENT LEVER



GALVANISED DISC AND BLADE



CHROME DISC AND BLADE - OPTIONAL



SINGLE DISC FERTILIZER SPREADERS

Product Code	GS-400	GS-500	GS-600	GS-800	GS-1000
Tank Capacity (L)	400	500	600	800	1000
Extent of Work Capacity (m)	18-20	18-20	18-20	18-20	18-20
Height (cm)	113	120	125	125	130
Width (cm)	100	107	107	115	115
Length (cm)	100	140	140	150	170
Weight (kg)	105	120	128	140	150
Number of Blade on Disc (pcs)	6	6	6	6	6
Number of Disc (pcs)	1	1	1	1	1



800 LT




1000 LT




RIGHT-LEFT SPREADER
ADJUSTMENT LEVER

GALVANISED DISC AND BLADE - STANDARD



CHROME DISC AND BLADE - OPTIONAL




DOUBLE DISC FERTILIZER SPREADERS

Product Code	GSC-600	GSC-800	GSC-1000	GSC-1200	GSC-1500
Tank Capacity (L)	600	800	1000	1200	1500
Extent of Work Capacity (m)	18-20	18-20	18-20	18-20	18-20
Height (cm)	100	107	115	122	138
Width (cm)	115	115	115	115	115
Length (cm)	170	170	180	180	200
Weight (kg)	170	180	190	220	240
Number of Blade on Disc (pcs)	3+3	3+3	3+3	3+3	3+3
Number of Disc (pcs)	2	2	2	2	2

DOUBLE DISC FERTILIZER SPREADERS



STRONG CHASSIS



EASY TO OPEN HINGED SIEVE SYSTEM




DOUBLE DISC MAXIMUM SPEED

WIDE TYPE FERTILIZER SPREADER



OPTIONAL
PISTON PRODUCTION






NARROW TYPE FERTILIZER SPREADERS



Product Code	GS-350-A	GS-350-K
Tank Capacity (L)	350	350
Extent of Work Capacity (m)	16-18	16-18
Height (cm)	132	145
Width (cm)	100	90
Length (cm)	100	90
Weight (kg)	80	80
Number of Blade on Disc (pcs)	6	6
Number of Disc (pcs)	1	1

DOUBLE SPRING SYSTEM



- with Pin

-with Lock



HAY RAKES

Product Code	TB4-P	TB4-F	TB5-P	TB5-F
Number of Rake Wheel (pcs)	4	4	5	5
Working Width (cm)	250-300	250-300	300-350	300-350
Weight (kg)	150	152	185	187
Length (cm)	400	425	500	530




UB-TK-200-C




**LAND LEVELER
WITH PIN AND LOCK**

**DOUBLE ROTARY
LAND LEVELER**

Product Code	TK-200-6	TK-200-8	TK-220-6	TK-220-8	TK-240-8	TK-200-C
Body Plate Thickness (mm)	6	8	6	8	8	8
Extent of Work Capacity (cm)	210	210	230	230	250	210
Work Depth (cm)	45	45	45	45	45	45
Height (cm)	115	115	115	115	115	115
Weight (kg)	190	205	200	220	230	280



DOUBLE SIDED



**HYDRAULIC SINGLE SIDED
LAND LEVELER**

**HYDRAULIC DOUBLE SIDED
LAND LEVELER**

Product Code	TKP-200-6	TKP-200-8	TKP-220-6	TKP-220-8	TKP-240-8	TKC-220-6
Body Plate Thickness (mm)	6	8	6	8	8	6
Extent of Work Capacity (cm)	210	210	230	230	250	230
Work Depth (cm)	45	45	45	45	45	45
Height (cm)	115	115	115	115	115	115
Weight (kg)	215	230	225	245	250	325

1-2 PLUS SERIES WITH SHAFT & ELECTRIC



FODDER MIXER MACHINE (MOUNTED TYPE)



Product Code	YKS - 010	YKS-SM-010	YKS-020	YK-SM-020
Tank Length (cm)	80	80	110	110
Tank Width (cm)	80	80	160	160
Tank Height (cm)	150	150	160	160
Empty Weight (kg)	275	295	550	590
Number of Blades (pcs)	4	4	5	5
Power Requirements (hp)	50	50	50	50



**2-3 PLUS SERIES
WITH SHAFT & ELECTRIC**



**5 PLUS SERIES
WITH SHAFT**

SCALE - OPTIONAL



**FODDER MIXER
MACHINE (TRAILED TYPE)**

Product Code	TK-200-6	TK-200-8	TK-220-6	TK-220-8	TK-240-8
Tank Length (cm)	360	360	365	365	410
Tank Width (cm)	160	160	170	170	220
Tank Height (cm)	170	170	200	200	230
Empty Weight (kg)	1150	1250	1350	1450	1650
Number of Blades (pcs)	5	5	5	5	9
Power Requirements (hp)	50	50	50	50	50